

Amendments to the Claims:

This listing of claims replaces all prior versions and listings of claims in the application:

Listing of Claims:

1. (Currently Amended) A product for underarm application, comprising a container, and a composition within the container having an application surface, the composition including a first portion comprising an aluminum-zirconium antiperspirant salt selected from the group consisting of aluminum salts having the formula $\text{Al}_2(\text{OH})_{6-a}\text{X}_a$ wherein X is Cl, Br, I or NO_3 and a is about 0.3 to about 5, and aluminum-zirconium salts including mixtures or complexes of aluminum salts having the formula $\text{Al}_2(\text{OH})_{6-a}\text{X}_a$ and zirconium salts having the formula $\text{ZrO}(\text{OH})_{4-pb}\text{Y}_b$ wherein Y is Cl, Br, I, NO_3 , or SO_4 , b is about 0.8 to about 4, and p is in the valence of Y, and a second portion comprising an aluminum-zirconium antiperspirant salt, selected from the group consisting of aluminum salts having the formula $\text{Al}_2(\text{OH})_{6-a}\text{X}_a$ wherein X is Cl, Br, I or NO_3 and a is about 0.3 to about 5, and aluminum-zirconium salts including wherein each aluminum-zirconium antiperspirant salt independently includes mixtures or complexes of aluminum salts having the formula $\text{Al}_2(\text{OH})_{6-a}\text{X}_a$, wherein X is Cl, Br, I or NO_3 and a is about 0.3 to about 5, and zirconium salts having the formula $\text{ZrO}(\text{OH})_{4-pb}\text{Y}_b$ wherein Y is Cl, Br, I, NO_3 , or SO_4 , b is about 0.8 to about 4, and p is in the valence of Y, and wherein the second portion having has a different composition than the first portion, the first portion and the second portion each independently comprising at least 15% of the application surface.

2-4. (Cancelled)

5. (Original) The product of claim 1, wherein the second portion is in the form of a lengthwise-extending stripe extending approximately from a first end of the application surface to a second end of the application surface.

6. (Original) The product of claim 1, wherein the first portion has a different color than the second portion.

7. (Original) The product of claim 1, wherein the application surface consists of the first portion and the second portion.

8. (Previously Presented) The product of claim 1, wherein the first portion comprises a volatile silicone, a high melting wax, from 0% to 10% by weight of a hydrophilic vehicle, and from 6 USP weight percent to 25 USP weight percent of the antiperspirant salt, and the second portion comprises a volatile silicone, a high melting wax, from 0% to 10% by weight of a hydrophilic vehicle, and from 6 USP weight percent to 25 USP weight percent of the antiperspirant salt.

9. (Currently Amended) A product for underarm application, comprising a container, and a composition within the container having an application surface, the composition including a first portion comprising at least 6 USP weight percent of an aluminum-zirconium antiperspirant salt ~~selected from the group consisting of aluminum salts having the formula $\text{Al}_2(\text{OH})_{6-a}\text{X}_a$ wherein X is Cl, Br, I or NO_3 and a is about 0.3 to about 5, and aluminum-zirconium salts including mixtures or complexes of aluminum salts having the formula $\text{Al}_2(\text{OH})_{6-a}\text{X}_a$ and zirconium salts having the formula $\text{ZrO}(\text{OH})_{4-pb}\text{Y}_b$ wherein Y is Cl, Br, I, NO_3 , or SO_4 , b is about 0.8 to about 4, and p is in the valence of Y,~~ and a second portion comprising at least 6 USP weight percent of an aluminum-zirconium antiperspirant salt, ~~selected from the group consisting of aluminum salts having the formula $\text{Al}_2(\text{OH})_{6-a}\text{X}_a$ wherein X is Cl, Br, I or NO_3 and a is about 0.3 to about 5, and aluminum-zirconium salts including~~ wherein each aluminum-zirconium antiperspirant salt independently includes mixtures or complexes of aluminum salts having the formula $\text{Al}_2(\text{OH})_{6-a}\text{X}_a$ wherein X is Cl, Br, I or NO_3 and a is about 0.3 to about 5, and zirconium salts having the formula $\text{ZrO}(\text{OH})_{4-pb}\text{Y}_b$ wherein Y is Cl, Br, I, NO_3 , or SO_4 , b is about 0.8 to about 4, and p is in the valence of Y, and wherein the second portion ~~having has~~ a different composition than the first portion, both the first portion and the second portion forming part of the application surface.

10. (Cancelled).

11. (Original) The product of claim 9, wherein either the first portion or the second portion is in the form of a lengthwise-extending stripe extending approximately from a first end of the application surface to a second end of the application surface.

12. (Original) The product of claim 9, wherein the first portion has a different color than the second portion.

13. (Previously Presented) The product of claim 9, wherein the first portion comprises a volatile silicone, a high melting wax, from 0% to 10% by weight of a hydrophilic vehicle, and from 6 USP weight percent to 25 USP weight percent of an antiperspirant salt, and the second portion comprises a volatile silicone, a high melting wax, from 0% to 10% by weight of a hydrophilic vehicle, and from 6 USP weight percent to 25 USP weight percent of the antiperspirant salt by weight.

14-15. (Cancelled).

16. (Currently Amended) A product for underarm application, comprising a container, and

a composition within the container having an application surface, the composition having a first portion comprising an aluminum-zirconium antiperspirant salt ~~selected from the group consisting of aluminum salts having the formula $\text{Al}_2(\text{OH})_{6-a}\text{X}_a$ wherein X is Cl, Br, I or NO_3 and a is about 0.3 to about 5, and aluminum-zirconium salts including mixtures or complexes of aluminum salts having the formula $\text{Al}_2(\text{OH})_{6-a}\text{X}_a$ and zirconium salts having the formula $\text{ZrO}(\text{OH})_{4-pb}\text{Y}_b$ wherein Y is Cl, Br, I, NO_3 , or SO_4 , b is about 0.8 to about 4, and p is in the valence of Y, and~~ a second portion comprising an aluminum-zirconium antiperspirant salt, ~~selected from the group consisting of aluminum salts having the formula $\text{Al}_2(\text{OH})_{6-a}\text{X}_a$ wherein X is Cl, Br, I or NO_3 and a is about 0.3 to about 5, and aluminum-zirconium salts including~~ wherein each aluminum-zirconium antiperspirant salt independently includes mixtures or complexes of aluminum salts having the formula $\text{Al}_2(\text{OH})_{6-a}\text{X}_a$ wherein X is Cl, Br, I, or NO_3 and a is about 0.3 to about 5, and zirconium salts having the formula $\text{ZrO}(\text{OH})_{4-pb}\text{Y}_b$ wherein Y is Cl, Br, I, NO_3 , or SO_4 , b is about 0.8 to about 4, and p is in the valence of Y, and wherein the second portion ~~having~~ has a different composition from the first portion, the application surface consisting of the first portion and the second portion.

17. (Currently Amended) A product for underarm application, comprising a container, and

a composition within the container having an application surface, the composition having a first portion comprising a volatile silicone and a second portion comprising a volatile silicone and an aluminum-zirconium antiperspirant salt, ~~selected from the group consisting of aluminum salts having the formula $\text{Al}_2(\text{OH})_{6-a}\text{X}_a$ wherein X is Cl, Br, I or NO_3 and a is about 0.3 to about 5,~~ and aluminum-zirconium salts including wherein the aluminum-zirconium antiperspirant salt includes mixtures or complexes of aluminum salts having the formula $\text{Al}_2(\text{OH})_{6-a}\text{X}_a$ wherein X is Cl, Br, I or NO_3 and a is about 0.3 to about 5, and zirconium salts having the formula $\text{ZrO}(\text{OH})_{4-pb}\text{Y}_b$ wherein Y is Cl, Br, I, NO_3 , or SO_4 , b is about 0.8 to about 4, and p is in the valence of Y, and wherein the second portion having has a different composition from the first portion, the first portion and the second portion each independently comprising at least 15% of the application surface.

18. (Currently Amended) The product of claim 17, wherein the first portion further comprises an aluminum-zirconium antiperspirant salt, ~~selected from the group consisting of aluminum salts having the formula $\text{Al}_2(\text{OH})_{6-a}\text{X}_a$ wherein X is Cl, Br, I or NO_3 and a is about 0.3 to about 5,~~ and aluminum-zirconium salts including wherein the aluminum-zirconium antiperspirant salt includes mixtures or complexes of aluminum salts having the formula $\text{Al}_2(\text{OH})_{6-a}\text{X}_a$ wherein X is Cl, Br, I or NO_3 and a is about 0.3 to about 5, and zirconium salts having the formula $\text{ZrO}(\text{OH})_{4-pb}\text{Y}_b$ wherein Y is Cl, Br, I, NO_3 , or SO_4 , b is about 0.8 to about 4, and p is in the valence of Y.

19. (Cancelled).

20. (Original) The product of claim 17, wherein the first portion or the second portion is in the form of a lengthwise-extending stripe extending approximately from a first end of the application surface to a second end of the application surface.

21. (Previously Presented) The product of claim 18, wherein the first portion comprises at least 6 USP weight percent of the antiperspirant salt and the second portion comprises at least 6 USP weight percent of the antiperspirant salt.

22. (Original) The product of claim 17, wherein the first portion has a different color than the second portion.

23. (Original) The product of claim 17, wherein the volatile silicone is a cyclomethicone.

24. (Currently Amended) A product for underarm application, comprising a container, and a composition within the container having an application surface, the composition having a first portion comprising a volatile silicone and a second portion comprising a volatile silicone and an aluminum-zirconium antiperspirant salt, selected from the group consisting of aluminum salts having the formula $\text{Al}_2(\text{OH})_{6-a}\text{X}_a$ wherein X is Cl, Br, I or NO_3 and a is about 0.3 to about 5, and aluminum-zirconium salts including wherein the aluminum-zirconium antiperspirant salt includes mixtures or complexes of aluminum salts having the formula $\text{Al}_2(\text{OH})_{6-a}\text{X}_a$ wherein X is Cl, Br, I or NO_3 and a is about 0.3 to about 5, and zirconium salts having the formula $\text{ZrO}(\text{OH})_{4-pb}\text{Y}_b$ wherein Y is Cl, Br, I, NO_3 , or SO_4 , b is about 0.8 to about 4, and p is in the valence of Y, and wherein the second portion ~~having~~ has a different composition from the first portion, the application surface consisting of the first portion and the second portion.

25. (Currently Amended) The product of claim 24, wherein the first portion further comprises an aluminum-zirconium antiperspirant salt, selected from the group consisting of aluminum salts having the formula $\text{Al}_2(\text{OH})_{6-a}\text{X}_a$ wherein X is Cl, Br, I or NO_3 and a is about 0.3 to about 5, and aluminum-zirconium salts including wherein the aluminum-zirconium antiperspirant salt includes mixtures or complexes of aluminum salts having the formula $\text{Al}_2(\text{OH})_{6-a}\text{X}_a$ wherein X is Cl, Br, I or NO_3 and a is about 0.3 to about 5, and zirconium salts having the formula $\text{ZrO}(\text{OH})_{4-pb}\text{Y}_b$ wherein Y is Cl, Br, I, NO_3 , or SO_4 , b is about 0.8 to about 4, and p is in the valence of Y.

26. (Cancelled).

27. (Original) The product of claim 25, wherein the second portion is in the form of a lengthwise-extending stripe extending approximately from a first end of the application surface to a second end of the application surface.

28. (Previously Presented) The product of claim 24, wherein the first portion comprises at least 6 USP weight percent of the antiperspirant salt and the second portion comprises at least 6 USP weight percent of the antiperspirant salt.

29. (Original) The product of claim 24, wherein the first portion has a different color than the second portion.

30. (Original) The product of claim 24, wherein said volatile silicone is a cyclomethicone.

31. (Original) A product for underarm application, comprising
a container, and
a composition within the container having an application surface, the composition having a first portion comprising a high melting wax and a second portion comprising a high melting wax and an antiperspirant salt, the second portion having a different composition from the first portion, the first portion and the second portion each independently comprising at least 15% of the application surface.

32. (Original) The product of claim 31, wherein the first portion further comprises an antiperspirant salt.

33. (Currently Amended) The product of claim 31, wherein the antiperspirant salt is ~~selected from the group consisting of aluminum salts having the formula $\text{Al}_2(\text{OH})_{6-a}\text{X}_a$ wherein X is Cl, Br, I or NO_3 and a is about 0.3 to about 5, and~~ an aluminum-zirconium antiperspirant salt ~~including wherein the aluminum-zirconium antiperspirant salt includes mixtures or complexes of aluminum salts having the formula $\text{Al}_2(\text{OH})_{6-a}\text{X}_a$ wherein X is Cl, Br, I or NO_3 and a is about 0.3 to about 5, and zirconium salts having the formula $\text{ZrO}(\text{OH})_{4-pb}\text{Y}_b$ wherein Y is Cl, Br, I, NO_3 , or SO_4 , b is about 0.8 to about 4, and p is in the valence of Y.~~

34. (Original) The product of claim 31, wherein the first portion or the second portion is in the form of a lengthwise-extending stripe extending approximately from a first end of the application surface to a second end of the application surface.

35. (Currently Amendment) The product of claim 32, wherein the first portion comprises at least 6 USP weight percent of the antiperspirant salt and the second portion comprises at least 6 USP weight percent of the antiperspirant salt.

36. (Original) The product of claim 31, wherein the first portion has a different color than the second portion.

37. (Original) A product for underarm application, comprising
a container, and
a composition within the container having an application surface, the composition having a first portion comprising a high melting wax and a second portion comprising a high melting wax and an antiperspirant salt, the second portion having a different composition from the first portion, the application surface consisting of the first portion and the second portion.

38. (Original) The product of claim 37, wherein the first portion further comprises an antiperspirant salt.

39. (Currently Amended) The product of claim 37, wherein the antiperspirant salt is ~~selected from the group consisting of aluminum salts having the formula $\text{Al}_2(\text{OH})_{6-a}\text{X}_a$ wherein X is Cl, Br, I or NO_3 and a is about 0.3 to about 5, and an aluminum-zirconium antiperspirant salt[[s]], including wherein the aluminum-zirconium antiperspirant salt includes~~ mixtures or complexes of aluminum salts having the formula $\text{Al}_2(\text{OH})_{6-a}\text{X}_a$ wherein X is Cl, Br, I or NO_3 and a is about 0.3 to about 5, and zirconium salts having the formula $\text{ZrO}(\text{OH})_{4-pb}\text{Y}_b$ wherein Y is Cl, Br, I, NO_3 , or SO_4 , b is about 0.8 to about 4, and p is in the valence of Y.

40. (Original) The product of claim 37, wherein the first portion or the second portion is in the form of a lengthwise-extending stripe extending approximately from a first end of the application surface to a second end of the application surface.

41. (Original) The product of claim 38, wherein the first portion and the second portion each comprises at least 6 USP weight percent of the antiperspirant salt.

42. (Original) The product of claim 37, wherein the first portion has a different color than the second portion.

43. (Currently Amended) A product for underarm application, comprising

a container, and

a composition within the container having an application surface, the composition having a first portion comprising from 0% to 10% by weight of a hydrophilic vehicle and a second portion comprising from 0% to 10% by weight of a hydrophilic vehicle and an aluminum-zirconium antiperspirant salt, ~~selected from the group consisting of aluminum salts having the formula $\text{Al}_2(\text{OH})_{6-a}\text{X}_a$ wherein X is Cl, Br, I or NO_3 and a is about 0.3 to about 5, and aluminum-zirconium salts including~~ wherein the aluminum-zirconium antiperspirant salt includes mixtures or complexes of aluminum salts having the formula $\text{Al}_2(\text{OH})_{6-a}\text{X}_a$ wherein X is Cl, Br, I or NO_3 and a is about 0.3 to about 5, and zirconium salts having the formula $\text{ZrO}(\text{OH})_{4-pb}\text{Y}_b$ wherein Y is Cl, Br, I, NO_3 , or SO_4 , b is about 0.8 to about 4, and p is in the valence of Y, and wherein the second portion ~~having~~ has a different composition from the first portion, the first portion and the second portion each independently comprising at least 15% of the application surface.

44. (Currently Amended) The product of claim 43, wherein the first portion further comprises an aluminum-zirconium antiperspirant salt, ~~selected from the group consisting of aluminum salts having the formula $\text{Al}_2(\text{OH})_{6-a}\text{X}_a$ wherein X is Cl, Br, I or NO_3 and a is about 0.3 to about 5, and aluminum-zirconium salts including~~ wherein the aluminum-zirconium antiperspirant salt includes mixtures or complexes of aluminum salts having the formula $\text{Al}_2(\text{OH})_{6a}\text{X}_a$ wherein X is Cl, Br, I or NO_3 and a is about 0.3 to about 5, and zirconium salts having the formula $\text{ZrO}(\text{OH})_{4-pb}\text{Y}_b$ wherein Y is Cl, Br, I, NO_3 , or SO_4 , b is about 0.8 to about 4, and p is in the valence of Y.

45. (Cancelled).

46. (Original) The product of claim 43, wherein the first portion or the second portion is in the form of a lengthwise-extending stripe extending approximately from a first end of the application surface to a second end of the application surface.

47 (Previously Presented) The product of claim 44, wherein the first portion comprises at least 6 USP weight percent of the antiperspirant salt and the second portion comprises at least 6 USP weight percent of the antiperspirant salt.

48. (Original) The product of claim 43, wherein the first portion has a different color than the second portion.

49. (Original) The product of claim 43, wherein the first portion and the second portion each independently comprises from 0% to 5% by weight of a hydrophilic vehicle.

50. (Currently Amended) A product for underarm application, comprising a container, and a composition within the container having an application surface, the composition having a first portion comprising from 0% to 10% by weight of a hydrophilic vehicle and a second portion comprising from 0% to 10% by weight of a hydrophilic vehicle and an aluminum-zirconium antiperspirant salt, ~~selected from the group consisting of aluminum salts having the formula $\text{Al}_2(\text{OH})_{6-a}\text{X}_a$ wherein X is Cl, Br, I or NO_3 and a is about 0.3 to about 5, and aluminum-zirconium salts including~~ wherein the aluminum-zirconium antiperspirant salt includes mixtures or complexes of aluminum salts having the formula $\text{Al}_2(\text{OH})_{6-a}\text{X}_a$ wherein X is Cl, Br, I or NO_3 and a is about 0.3 to about 5, and zirconium salts having the formula $\text{ZrO}(\text{OH})_{4-pb}\text{Y}_b$ wherein Y is Cl, Br, I, NO_3 , or SO_4 , b is about 0.8 to about 4, and p is in the valence of Y, and wherein the second portion having has a different composition from the first portion, the application surface consisting of the first portion and the second portion.

51. (Currently Amended) The product of claim 50, wherein the first portion further comprises an aluminum-zirconium antiperspirant salt, ~~selected from the group consisting of aluminum salts having the formula $\text{Al}_2(\text{OH})_{6-a}\text{X}_a$ wherein X is Cl, Br, I or NO_3 and a is about 0.3 to about 5, and aluminum-zirconium salts including~~ wherein the aluminum-zirconium antiperspirant salt includes mixtures or complexes of aluminum salts having the formula $\text{Al}_2(\text{OH})_{6-a}\text{X}_a$ wherein X is Cl, Br, I or NO_3 and a is about 0.3 to about 5, and zirconium salts having the formula $\text{ZrO}(\text{OH})_{4-pb}\text{Y}_b$ wherein Y is Cl, Br, I, NO_3 , or SO_4 , b is about 0.8 to about 4, and p is in the valence of Y.

52. (Cancelled).

53. (Original) The product of claim 50, wherein the first portion or the second portion is in the form of a lengthwise-extending stripe extending approximately from a first end of the application surface to a second end of the application surface.

54. (Previously Presented) The product of claim 51, wherein the first portion comprises at least 6 USP weight percent of the antiperspirant salt and the second portion comprises at least 6 USP weight percent of the antiperspirant salt.

55. (Original) The product of claim 50, wherein the first portion has a different color than the second portion.

56. (Original) The product of claim 50, wherein the first portion and the second portion each independently comprises from 0% to 5% of a hydrophilic vehicle by weight.

57. (Previously Presented) A product for underarm application, comprising a container, and a composition within the container having an application surface, the composition having a first portion comprising at least 10% by weight of a hydrophilic vehicle and an antiperspirant salt selected from the group consisting of aluminum salts having the formula $\text{Al}_2(\text{OH})_{6-a}\text{X}_a$ wherein X is Cl, Br, I or NO_3 and a is about 0.3 to about 5, and aluminum-zirconium salts including mixtures or complexes of aluminum salts having the formula $\text{Al}_2(\text{OH})_{6-a}\text{X}_a$ and zirconium salts having the formula $\text{ZrO}(\text{OH})_{4-pb}\text{Y}_b$ wherein Y is Cl, Br, I, NO_3 , or SO_4 , b is about 0.8 to about 4, and p is in the valence of Y, and a second portion comprising at least 10% by weight of a hydrophilic vehicle and an antiperspirant salt selected from the group consisting of aluminum salts having the formula $\text{Al}_2(\text{OH})_{6-a}\text{X}_a$ wherein X is Cl, Br, I or NO_3 and a is about 0.3 to about 5, and aluminum-zirconium salts including mixtures or complexes of aluminum salts having the formula $\text{Al}_2(\text{OH})_{6-a}\text{X}_a$ and zirconium salts having the formula $\text{ZrO}(\text{OH})_{4-pb}\text{Y}_b$ wherein Y is Cl, Br, I, NO_3 , or SO_4 , b is about 0.8 to about 4, and p is in the valence of Y, the second portion having a different composition from the first portion.

58-60. (Cancelled).

61. (Previously Presented) The product of claims 1, 9, or 16, wherein the first portion comprises at least 10% by weight of a polyhydric alcohol and a dibenzylidene alditol and

wherein the antiperspirant salt is dissolved in the polyhydric alcohol, and wherein the second portion also comprises at least 10% by weight of a polyhydric alcohol and a dibenzylidene alditol.

62. (Cancelled).

63. (Original) The product of claim 57, wherein the first portion comprises a dibenzylidene alditol and wherein the hydrophilic vehicle comprises a polyhydric alcohol and the antiperspirant salt is dissolved in the hydrophilic vehicle.

64. (Original) The product of claim 63, wherein the second portion also comprises a dibenzylidene alditol and wherein the hydrophilic vehicle comprises a polyhydric alcohol.--

65. (Currently Amended) A product for underarm application, comprising
a container, and
a composition within the container having an application surface, the composition including a first portion comprising at least 10% by weight of a polyhydric alcohol, a dibenzylidene alditol, and an antiperspirant salt and/or a deodorant active ingredient, and a second portion comprising at least 10% by weight of a polyhydric alcohol, a dibenzylidene alditol, and an antiperspirant salt and/or a deodorant active ingredient and having a different composition from the first portion, both the first portion and the second portion forming part of the application surface, the first portion and/or the second portion being optically clear, and the first portion and/or the second portion including an antiperspirant salt, wherein each antiperspirant salt independently is selected from the group consisting of aluminum salts having the formula $\text{Al}_2(\text{OH})_{6-a}\text{X}_a$ wherein X is Cl, Br, I or NO_3 and a is about 0.3 to about 5, and aluminum-zirconium salts including mixtures or complexes of aluminum salts having the formula $\text{Al}_2(\text{OH})_{6-a}\text{X}_a$ and zirconium salts having the formula $\text{ZrO}(\text{OH})_{4-p}\text{Y}_b$ wherein Y is Cl, Br, I, NO_3 , or SO_4 , b is about 0.8 to about 4, and p is in the valence of Y wherein Y is Cl, Br, I, NO_3 , or SO_4 , b is about 0.8 to about 4, and p is in the valence of Y.